



Colors of New Zealand



Exterior Color Range

Interpon Living Series A classic range of local favourites in subtle and neutral shades.



Interpon Living Series Continued



Interpon Pearlescent Range A soft metallic finish offering a timeless pearlescent lustre.




Satin GY120A





Satin GY118A







Endura Bronze Matt GY248A

Interpon Color Vitality Bright, vibrant and UV stable, perfect for providing a dramatic visual effect.





Gloss GS051A




Shamrock Gloss GS043A

Sensation Gloss GF051A



Gloss GJ046A



Jaybird GJ175A Satin

Interpon Precis[™] Range

Offers an attractive low gloss, anodised appearance for architectural aluminium components.

Precis[™] Natural Shimmer Matt GY27BA

Precis[™] Dark Bronze Matt GY28BA

Interpon Sablé[™] Collection An exclusive tactile appearance offering enhanced surface scuff resistance.



Texture GY301A



Texture GN297A





Sable[™] Core Ten Texture GX350A

Interpon Textura[™]

Unique fine texture finish designed to reduce marring and scuffing.





Texture GM314A

Textura[™] Dune Texture GL352A



Texture GL333A

Textura[™] Surfmist Texture GA336A



Texture GY35LA



Texture GL329A

Textura[™] Paperbark Texture GD314A





Texture GN305A

Interpon Primers

Enhanced corrosion resistance and service life for steel and other metals.

Interpon Clear

A transparent powder coating exhibiting outstanding clarity and durability.

Interpon Anti-Graffiti

An EasyClean solution for removal of graffiti.

Metaprep Grey Primer EL286A

Ultra Silver Gloss GY070A

Easy Clean Clear Gloss UZ607I



Bright Sliver Matt MW201T

Interior Color Range


Interpon Color Coordinates A collection of striking colors to brighten modern features.



Interpon Ripple Series A distinctive course texture finish which also masks substrate or surface defects.

Ripple White Gloss MA494A	тс	
Ripple Black Leather Matt EN432A		





FW. Not recommended for use where high UV exposure is likely



- For General Industrial Range тс
- Are recommended to be over coated with Interpon Clear powder coating for exterior use or aggressive internal applications
- Are ColorSteel® Coordinate Colors

Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval. Most gloss finishes on this card are available in EC technology as Made to Order MiniB.

NEW ZEALAND e: salesnz@interpon.com www.interpon.co.nz

Tel:	0800	150	527
Fax:	0800	809	679





Name	Code	Brand	Series	Finish	Reflectance
Grey Friars	GL265A	Interpon D1010	Living	Matt	10%
High Voltage Pearl	GY135A	Interpon D1010	Pearlescent	Satin	14%
Ironsand	GM233A	Interpon D1010	Living	Matt	7%
Jaybird	GJ175A	Interpon D1010	Color Vitality	Satin	11%
Karaka	GK297A	Interpon D1010	Living	Matt	7%
Lemon Yellow	ME068A	Interpon TC	Color Coordinates	Gloss	80%
Lichen	GM264A	Interpon D1010	Living	Matt	29%
Lignite	GM284A	Interpon D1010	Living	Matt	7%
Lobster	GG154A	Interpon D1010	Color Vitality	Satin	12%
Lycra Strip	GS063A	Interpon D1010	Color Vitality	Gloss	53%
Magnolia	GD110A	Interpon D1010	Living	Satin	65%
Matt Black	GN291A	Interpon D1010	Living	Matt	4%
Metaprep Grey	EL286A	Interpon 100	Primers	Primer	47%
Mid Bronze	GM208A	Interpon D1010	Living	Matt	8%
Millennium Silver	GY118A	Interpon D1010	Pearlescent	Satin	33%
Mist Green	GK246A	Interpon D1010	Living	Matt	26%
Monument	GL229A	Interpon D1000	Living	Matt	8%
New Denim Blue	GJ276A	Interpon D1010	Living	Matt	12%
Night Sky	GN121A	Interpon D1000	Living	Satin	4%
NZ Silver Star	GW105CD	Interpon D1010	Pearlescent	Satin	39%
Off White	GD106A	Interpon D1010	Living	Satin	77%
O'Keefe Grey	GL117A	Interpon D1010	Living	Satin	56%
Olive	GK107A	Interpon D1010	Living	Satin	7%
Oyster Grey	GL258A	Interpon D1000	Living	Matt	61%
Pale White	GA154A	Interpon D1000	Living	Satin	71%

Name	Code	Brand	Series	Finish	Reflectance
Silver Pearl	GY120A	Interpon D1010	Pearlescent	Satin	45%
Slate Blue	GJ114A	Interpon D1010	Living	Satin	11%
Space Blue	MJ008A	Interpon TC	Color Coordinates	Gloss	17%
Storm Blue	GJ269A	Interpon D1010	Living	Matt	12%
Surfmist	GA236A	Interpon D1000	Living	Matt	71%
Textura [™] Black	GN305A	Interpon D1000	Textura™	Texture	5%
Textura™ Deep Ocean	GJ301A	Interpon D1000	Textura™	Texture	9%
Textura™ Dune	GL352A	Interpon D1000	Textura™	Texture	58%
Textura™ Jasper	GM314A	Interpon D1000	Textura™	Texture	15%
Textura™ Monument	GL329A	Interpon D1000	Textura™	Texture	8%
Textura [™] Paperbark	GD314A	Interpon D1000	Textura™	Texture	52%
Textura™ Primrose	GD331A	Interpon D1000	Textura™	Texture	69%
Textura™ Silver	GY35LA	Interpon D1000	Textura™	Texture	38%
Textura™ Surfmist	GA336A	Interpon D1000	Textura™	Texture	67%
Textura™ Woodland Grey	GL333A	Interpon D1000	Textura™	Texture	12%
Tique Steel	GW113A	Interpon D1010	Pearlescent	Satin	11%
Titania	GA275A	Interpon D1010	Living	Matt	72%
Ultra Silver	GY070A	Interpon D1000	Silvers &Clear	Gloss	43%
Viper Green	GS051A	Interpon D1010	Color Vitality	Gloss	27%
Wedgewood	GJ180A	Interpon D1010	Living	Satin	32%
White	GA124A	Interpon D1000	Living	Satin	91%
White Birch	GA057A	Interpon D1000	Color Coordinates	Gloss	91%
Wizard	GJ119A	Interpon D1010	Living	Satin	16%
Woodland Grey	GL205A	Interpon D1000	Living	Matt	14%
X15 Orange	MF035A	Interpon TC	Color Coordinates	Gloss	69%

Your Choice Of Color

AkzoNobel understands the importance of color and finish for your business to satisfy customer needs. If you cannot find the right color or finish in this extensive offer, Colors of New Zealand, why not take advantage of our made-to-order color service. For smaller projects requiring as little as 20kg, Interpon MiniB[™] and Interpon MiniB[™] Micro provide fast service on small batch made-to-order colors that are specific to your needs. Some conditions do apply such as choice of color and product. Please contact the AkzoNobel Customer Care Team for additional advice.

HOW TO SPECIFY Interpon POWDER COATINGS

Once you have chosen Interpon powder coatings for your project, it's important to use the correct product. So we make specifying Interpon powder coatings easy. Simply:

- a. Nominate the Interpon product. e.g. Interpon D1000.
- b. Nominate the color, finish and product code. e.g. Silver Comet Satin GY184C.

To find your nearest Interpon Applicator, please contact your Interpon representative or the AkzoNobel Customer Care Team on 0800 150 527.

Interpon D Approved Applicators

AkzoNobel has developed the **Interpon D** Approved Applicators Network to support the **Interpon D** Global Warranty Program. This program is designed to ensure the Interpon powder coating you choose is applied correctly, meeting Interpon powder coatings warranty requirements to local and international standards. To view all **Interpon D** Approved Applicators please visit www.interpon.co.nz

For more information or to become and **Interpon D** approved applicator please speak with your Interpon technical representative.



Name	Code	Brand	Series	Finish	Reflectance
Almond	GD160A	Interpon D1010	Living	Satin	67%
APO Ghost Grey	GL183A	Interpon D1010	Living	Satin	46%
Appliance White	GA144A	Interpon D1010	Living	Satin	86%
Arctic White	MA033A	Interpon TC	Color Coordinates	Gloss	88%
Arctic White Ally	GA145A	Interpon D1010	Living	Satin	89%
Blaze Blue	MJ034A	Interpon TC	Color Coordinates	Gloss	49%
Bond Rivergum	GK220A	Interpon D1010	Living	Matt	22%
Bondi Blue	GJ046A	Interpon D1010	Color Vitality	Gloss	20%
Bone White	GD256A	Interpon D1010	Living	Matt	53%
Bright Red	MG025A	Interpon TC	Color Coordinates	Gloss	43%
Bright Silver	MW201T	Interpon TC	Silvers &Clear	Matt	45%
Bright White	GA030A	Interpon D1000	Color Coordinates	Gloss	89%
Brilliant Yellow	GE088A	Interpon D1010	Color Vitality	Gloss	66%
Bronco	GM158A	Interpon D1010	Living	Satin	43%
Canvas	GD142A	Interpon D1010	Living	Satin	66%
Charcoal	GL290A	Interpon D1010	Living	Matt	8%
Coral Black	GN063A	Interpon D1000	Color Coordinates	Gloss	4%
Desert Sand	GD209A	Interpon D1010	Living	Matt	51%
Easy Clean Clear	UZ6071	Interpon 200	Anti Graffiti	Gloss	58%
Endura Bronze	GY248A	Interpon D1010	Pearlescent	Matt	12%
Flame Red	MG071A	Interpon TC	Color Coordinates	Gloss	60%
FlaxPod®	GP298A	Interpon D1010	Living	Matt	7%
French Blue	MJ067A	Interpon TC	Color Coordinates	Gloss	38%
French Grey	GK164A	Interpon D1010	Living	Satin	33%
French White	GA136A	Interpon D1010	Living	Satin	88%
Gravel	GN168A	Interpon D1010	Living	Satin	7%

Name	Code	Brand	Series	Finish	Reflectance
Pearl White	GA078A	Interpon D1000	Color Coordinates	Gloss	91%
Permanent Green	GK253A	Interpon D1010	Living	Matt	11%
Pioneer Red	GG235A	Interpon D1010	Living	Matt	30%
Pottery	GM175A	Interpon D1000	Living	Satin	43%
Precis™ Dark Bronze	GY28BA	Interpon D1010	Precis™	Matt	6%
Precis [™] Natural Shimmer	GY27BA	Interpon D1010	Precis™	Matt	46%
Primrose	GD037A	Interpon D1000	Color Coordinates	Gloss	80%
PZ560 MetaZinc	BL103K	Interpon 100	Primers	Primer	13%
Ripple APO Grey	ML463A	Interpon TC	Ripples	Gloss	43%
Ripple Black	MN427A	Interpon TC	Ripples	Gloss	4%
Ripple Black Leather	EN432A	Interpon 700	Ripples	Matt	4%
Ripple White	MA494A	Interpon TC	Ripples	Gloss	91%
Ripple X15 Orange	MF406A	TC	Ripples	Gloss	29%
Rivergum Beige	GD185A	Interpon D1010	Living	Satin	68%
Sable [™] Bass Texture	GN297A	Interpon D1000	Sable™	Texture	8%
Sable [™] Black Texture	GN341A	Interpon D1000	Sable™	Texture	4%
Sable™ Brilliance Texture	GL277A	Interpon D1000	Sable™	Texture	13%
Sable [™] Core Ten [™]	GX350A	Interpon D1000	Sable™	Texture	12%
Sable [™] Silver	GY301A	Interpon D1000	Sable™	Texture	39%
Safety Yellow	ME096A	Interpon TC	Color Coordinates	Gloss	75%
Sandstone Grey	GL281A	Interpon D1010	Living	Matt	25%
Scoria	GG296A	Interpon D1010	Living	Matt	19%
Sensation	GF051A	Interpon D1010	Color Vitality	Gloss	75%
Shale Grey	GL284A	Interpon D1000	Living	Matt	49%
Shamrock	GS043A	Interpon D1010	Color Vitality	Gloss	13%
Silver Comet	GY184C	Interpon D1000	Pearlescent	Satin	29%

Colors of New Zealand

People are driven by emotion – and color elicits different emotions in people. As the world's largest coatings company, no other company has more experience in color trends than AkzoNobel. Home to the Aesthetics Centre, our in-house color and design experts anticipate and predict movements in trends that affect color and coating choices for architectural applications. We have drawn on the knowledge of our global Aesthetics Centre, along with our own New Zealand insights, to produce this Residential and Industrial Powder Coatings Collection – Colors of New Zealand.

The Interpon Range Interpon D1000

Interpon D1000 is a highly durable powder coating developed on proprietary technology, supported by a global 10 year warranty for color and film integrity. **Interpon D1000** provides an ideal finish for architectural residential applications. Offering excellent application performance with superior mileage, high powder utilisation and faster curing, **Interpon D1000** is our most versatile and best performing product in its class.

Interpon D1010 Premium

Interpon D1010 Premium is an ultra durable powder coating developed on in-house resin technology providing a premium finish for architectural residential and commercial applications. **Interpon D1010** Premium offers the applicator exceptional application performance with superior mileage and the support of a global 10 year warranty.

Interpon TC

Interpon TC is a durable powder coating designed to meet the specific needs of the Industrial and General Trade Coater for interior and exterior applications. The **Interpon TC** range of powdercoatings feature high transfer efficiency, excellent coverage and high levels of damage resistance. **Interpon TC** is available in an extensive range of bright colors, ripples, textures and special effect powders.

Tel: 0800 150 527 Fax: 0800 809 679



EPD applies to D1000 and D1010 Products only


Care and Maintenance

Maintaining the integrity of your powder coated products is just like caring for your car – and is a smart way to protect your investment. Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight color change. A simple regular clean will minimise the effects of weathering and will remove dirt, grime and other build-up detrimental to all powder coatings. The best method of cleaning is by regular washing of the coating using a solution of warm water and nonabrasive, pH neutral detergent solution. Surfaces should be thoroughly rinsed after cleaning to remove all residues. All surfaces should be cleaned using a soft cloth, sponge or a soft natural bristle brush.

Zones (NZ3604)	Corrosivity Level	Environment Type	Required Cleaning*
В	Low / Medium	Non- Hazardous Environment. Must be located >1000m from salt water or surf line.	Every 12 Months
С	High	Swimming Pools, Light Industrial, Coastal Environments. Must be located >100m from salt water or surf line.	Every 6 months
D	Very High	Beach Front/ Marine, Heavy Industrial Environment and areas of high geothermic exposure.	Every 3 Months

*Refer Interpon Powder Coatings - Care & Maintenance sheet for further details

Interpon



Disclaimer

AkzoNobel endeavours to ensure the information contained in this publication is correct at the time of printing. All products referred to and any technical advice provided is subject to the standard terms and conditions of sale of the AkzoNobel supplying company. Warranty applies only to aluminium when coated by an Interpon D Approved Applicator. Terms and conditions apply. Contact your Interpon representative for further details.

Interpon® is a registered trademark of AkzoNobel International BV. Precis,[™] Sable,[™] Textura[™] and MiniB[™] are trademarks of AkzoNobel Pty Limited

AkzoNobel would like to acknowledge and thank Altus, Nulook Solutions, Bradnams and Bates Aluminium Ltd for the use of their images contained within this colorcard.

Copyright©2017 Akzo Nobel Powder Coatings Ltd. Interpon is a registered trademark of AkzoNobel. Printed February 2017. I102 00041_200217